

# INDEX MAPS.

**T. 32 N. R. 2 E. 2<sup>nd</sup> Mer.**

									18			
	7	6	6	5	5	5	5	5	5	5	5	5
7	6	22	5	20	4	18	3	15	2	17	1	3
	24	22	20	17	15	13	11	9	7	5	3	1
8	7	22	8	19	9	17	10	15	11	20	12	4
	23	21	19	16	14	12	10	8	6	4	2	1
8	18	21	17	19	16	16	15	14	14	21	13	4
	23	20	18	16	14	12	10	8	6	4	2	1
8	19	28	20	26	21	33	22	31	23	12	24	4
	28	28	26	33	33	30	11	11	11	11	11	11
9	30	27	29	25	28	32	27	30	26	11	25	4
	27	26	25	32	31	29	10	10	10	10	10	10
9	31	26	32	25	33	31	34	29	35	9	36	5
	3	2	2	2	2	1	1	1	1	1	1	1

**T. 33 N. R. 2 E. 2<sup>nd</sup> Mer.**

	42	41	41	41	40	40	40	40	40	40	40	40
42	6	72	5	134	75	3	53	2	49	1	37	37
	72	72	65	75	53	52	49	49	49	49	49	49
43	7	71	8	64	9	14	10	52	11	48	12	38
	71	70	65	64	54	51	48	48	48	48	48	48
43	18	70	17	63	16	13	15	51	14	47	13	38
	70	69	63	62	51	50	50	47	47	47	47	47
43	19	69	20	62	21	59	22	16	23	47	24	38
	68	68	62	61	59	46	46	46	46	46	46	46
44	30	68	29	61	28	56	27	55	26	17	25	39
	67	67	60	60	56	54	45	45	45	45	45	45
44	31	67	32	59	33	55	34	54	35	18	36	39
	37	36	36	35	35	35	35	35	35	35	35	35

Meanders-73

The figures on the lines refer to the page.

# Township N. 32. North of Range N. 2. East 3<sup>rd</sup> Mer. Ind.!

## South Boundary.

- West On South Boundary of Sec. 36. Sec. 36. E.
35. 82 Set a Post on the West line. (N. B. L.) 2.65 links North of the N. W. Cor. of Sec. 24 of Broad Land. where a Sugar 10 in. diam. bears N. 51. W. 31. links dist. and a  
Do 28. " " " S. 32. E. 21. " "
40. 00 Set a q. Sec. post. from which a Butternut 4 in. diam. bears N. 66. W. E. 28. links dist. & a  
Beech 20. " " " N. 54. W. 23. " "
41. 05 Intersect the line between Ranges 2. & 3. 5. 98 links North of the Temp<sup>l</sup> post. Set a Post Cor. to Ranges 2. & 3. S. 31. from which a  
Beech 20 in. diam. bears S. 25. W. 32. links dist. and a  
Elm 10. " " " S. 45. E. 47. " "
62. 41. A Red Oak 20 in. diam.
80. 00 Set a Post Cor. to Secs. 35. & 36. from which a  
Sugar. 30 in. diam. bears N. 51. E. 20 links dist. & a  
Do 25. " " " N. 68. W. 52. " "  
Land gently Rolling 1/4<sup>th</sup> note. Timber. Sugar. Beech. Lyrn. Elm. Ash. &c.

- 
- West On South Boundary of Sec. 35.
3. 00 An Indian Chail. Cor. S. E.
23. 70. A W. Ash 20 in. diam.
30. 65. Set a Post on the East line of Man-ke-hew's Reserve. from which an  
Elm 6 in. diam. bears N. 53. E. 32 links dist. & a  
Sugar 30. " " " N. 55. W. 82. " "
40. 00 Set a q. Sec. post. from which a  
Sugar. 30 in. diam. bears N. 62. E. 30 links dist. and a  
Do 28. " " " N. 47. W. 54. " "
62. 26. A Sugar. 30 in. diam.
73. 00 Road N. & S.
80. 00 Set a Post Cor. to Secs. 34. & 35. from which a  
Hickory 18 in. diam. bears N. 40. E. 32 links dist. & a  
Sugar. 28. " " " N. 55. W. 51. " "



# I 32 N. B. 2 E 2<sup>nd</sup> Mer. Ind.

Land Rolling & 1<sup>st</sup> rate. Timber. Sugar. Buck. Ash.  
Elm. Lyrn. White-wood. & Oak. Underg<sup>th</sup> same.

West On South Boundary Sec. 34.  
7. 00 Enter Oak openings.  
19. 28. A Y. Oak 20. int. diam.  
20. 00 A Road. Cor. N. W. & S. E.  
40. 00 Set a gp. Sk. post from which a  
N. Oak 24. int. diam. bears N. 73. E. 2.99. links dist. and a  
" Do. 7. " " " N. 44. W. 0.49. " "  
58. 15. A Y. Oak 30. int. diam.  
80. 00 Set a Post Cor. to Sec. 33. & 34. from which a  
N. Oak 18. int. diam. bears N. 28. E. 86. links dist. & a  
" Do. 12. " " " N. 20. W. 45. " "  
Land Rolling & 1<sup>st</sup> rate. Oak opening

West On South Boundary of Sec. 33.  
25. 76. A Hickory 10. int. diam.  
30. 14. Intersect the S. W. Cor. of Markhose's Reserve. from which  
a Hickory 10. int. diam. bears N. 40. E. 83. links dist. & a  
" Do. 10. " " " N. 18. W. 58. " "  
40. 00 Set a gp. Sk. post from which a  
Hickory 9. int. diam. bears N. 28. E. 94. links dist. & a  
" Do. 10. " " " N. 38. W. 41. " "  
52. 00 Enter wet Prairie  
77. 00 Leave the same.  
81. 00 Set a Post Cor. to Sec. 32. & 33. from which a  
N. Oak 20. int. diam. bears N. 26. E. 5.47. links dist. and a  
" Do. 20. " " " N. 17. W. 2.77. " "  
Land &c. same as last mile.

West On South Boundary of Sec. 32.  
8. 00 Enter wet Prairie.  
11. 50. A Brook 10. links wide. Cor. S. W.  
40. 00 Set a gp. Sk. post. from which a  
N. Oak 30. int. diam. bears N. 18. W. 2.46. links dist. and a

- Y Oak 10. in. diam. bears N. 26. W. 2. 21.  
 42. 00 Leave net Prairie.  
 52. 00 Enter Marsh.  
 70. 00 Leave the same.  
 80. 00 Set a Post Cor. to Sec. 31. & 32. from which a  
 Y Oak 10. in. diam. bears N. 22. E. 72. links dist. & a  
 W. Oak 7. " " " N. 29. W. 1. 50. " "  
 Land &c. same.

- West On South Boundary of Sec. 31.  
 21. 15. A W. Oak 15. in. diam.  
 40. 00 Set a q. Sec. post from which a  
 W. Oak 18. in. diam. bears N. 41. E. 20. links dist. & a  
 " Do. 18. " " " N. 85. W. 57. " "  
 43. 00 Enter 1<sup>st</sup> gate. Timbered Land.  
 57. 40. A W. Ash. 20. in. diam.  
 77. 50. A Brook 6. links wide. Cor. S. W.  
 78. 00 Enter Oak Openings.  
 80. 25. Set a Post Cor. to Sec. 32. N. Ranges 1. & 2. E. from which a  
 W. Oak 7. in. diam. bears N. 23. E. 12. links dist. and a  
 Do. 7. " " " N. 21. W. 31. " "  
 Land &c. similar to last mile.

## East Boundary

- South On East Boundary of Sec. 1. var. 6. 25. E.  
 28. 15. A Sugar 28. in. diam.  
 41. 88 Set a q. Sec. post from which a  
 Elm 6. in. diam. bears N. 43. W. 14. links dist. & a  
 Buck 24. " " " S. 68. W. 57. " "  
 55. 20. A Sugar 25. in. diam.  
 81. 88 Set a Post Cor. to Sec. 1. & 2. from which a  
 Butternut 10. in. diam. bears N. 3. W. 45. links dist. & a  
 Elm 4. " " " S. 40. W. 18. " "  
 Land level & 1<sup>st</sup> gate. Timber. Sugar. Buck. Ash. Elm. Spruce.  
 Walnut &c. Underg<sup>th</sup> same.

T. 32. N. R. 2. E. 2<sup>nd</sup> Mer. Indiana.

South On East side of Sec. 12.  
 15. 27. A Sugar 18. int. diam.  
 40. 00 Set a q. Sec. post from which a  
 Butternut 12. int. diam. bears S. 14. W. 10. links dist. & a  
 Do. 10. " " " N. 55. W. 9. " "  
 58. 84. A Beech 20. " "  
 80. 00 Set a Post Cor. to Sec. 12. & 13. from which a  
 Sugar 24. int. diam. bears N. 66. W. 19. links dist. & a  
 Beech 6. " " " S. 30. W. 39. " "  
 Land &c. same as last mile.

South On East Boundary of Sec. 13.  
 28. 14. An Elm 12. int. diam.  
 40. 00 Set a q. Sec. post from which a  
 Sugar 20. int. diam. bears N. 45. W. 11. links dist. & a  
 Do. 20. " " " S. 30. W. 75. " "  
 64. 29. A White maple 30. int. diam.  
 80. 00 Set a Post Cor. to Sec. 13. & 24. from which a  
 W. Ash 20. int. diam. bears N. 39. W. 14. links dist. & a  
 Beech 10. " " " S. 28. W. 23. " "  
 Land &c. much the same.

South On East Boundary of Sec. 24.  
 1. 89. Michigan Road Land. 28. 42. links West of the N. E.  
 Corner of Sec. 22, equal to the survey of Road Land.  
 Set a Post. from which a  
 Beech 10. int. diam. bears N. 31. E. 11. links dist. & a  
 Do. 11. " " " West 23. " "  
 40. 00 In Road Land.  
 80. 00 Same.

South On East Boundary of Sec. 25.  
 39. 00 Enter Michigan Road. Cor. N. 47. W.  
 40. 00 Road Land.  
 80. 00 Same.



South On East Boundary of Sec 30.

40. 00 Road Land

80. 00 Set Temp. Town Cor. in Road Land. Nov. 15<sup>th</sup>. 1833.

Sylvester Sibley, Dep. Surveyor.

### North Boundary

West On South Boundary of Sec. 30. T. 33. N. R. 2. E.

31. 10 A Sugar. 15. in. diam.

33. 47 A Buck 20. " "

40. 00 Set a p. the post. from which a

Sugar 15. in. diam. bears N 42 $\frac{1}{2}$  W. 19. links dist. & a

Elm 8. " " " N. 15. E. 17. " "

47. 44 A Sugar 15. in. diam.

65. 88 An B. Elm 19. " "

71. 53 Intersect the East Boundary Michigan Road Lands.

4. 26. links North of the S. E. Cor. of Sec. 18. & Set a Post. from

which a Buck 16. in. diam. bears S 24. E. 40. links dist. & a

B. Walnut 30. " " " N. 10. E. 54. " "

80. 00 set post cor. of sec. 35 & 36 { Sugar 28 N 87 $\frac{1}{2}$  E 41  
Buck 11 N 25 $\frac{1}{2}$  W 15

West On South Boundary of Sec. 35. T. 33. N. R. 2. E.

19. 75 Centre of Michigan Road. S. 20. E.

73. 31 Intersect the West Bound. of No. R. 2. 4. 92. links North of the S. W. Cor. of Sec. 18. Set a Post from which a

Elm 14 in. diam. bears S. 5 $\frac{1}{2}$  W. 33. links dist. & a

W. Ash 29. " " " N. 87. W. 148. " "

80. 00 Set a Post Cor. to Sec. 34 & 35. from which a

Double W. Oak 16. in. diam. bears N 16. E. 105. links dist. &

a D. " " " " " N. 43 $\frac{1}{2}$  W. 133. " "

Land mostly level & low. 2nd rare soil. Timber. Oak. Buck.

Elm. Ash. &c. Brushy.

West On South Boundary of Sec 34. T. 33. N. R. 2. E.

21. 24. A B. Oak 17. in. diam.

22. 00 A Tam. Swamp.

40. 00 - Set a p. the post. from which a

Tamarac 13. in. diam. bears N. 19. E. 21. links dist. & a

Birch 14. " " " West 34. " "

mostly rolling 1. note, timber Sugar, Buck, Buckeye, Walnut, Elm, Ash & Pecan

T 32. N. R. 2. E. 2<sup>nd</sup> Mer. Indiana.

54. 50. Leave Tamaracks. & Enter open Marsh.  
 63. 50. A Brook 4 links wide. Cor. S. W.  
 70. 00 Same 4 " " " N. W.  
 76. 00 Same 4 " " " S. W.  
 79. 75. Leave the Marsh.  
 80. 00 Set a Post Cor. to Sec. 33. & 34. from which a  
 B. Oak 30. in. diam. bears N. 76 3/4. W. 1. 33. links dist. & a  
 Sp. Oak 17. " " " N. 40 1/2. W. 96. " "  
 Upland Rolling & 2<sup>nd</sup> rate. Timber. Oak. Undergrowth  
 Sassafras.

- West On South Boundary of Sec. 33. T. 33. N. R. 2. E.  
 11. 00 Marsh.  
 16. 50 Leave Do. }  
 24. 00 Marsh Arms of the Main Marsh then lies to South.  
 30. 00 Leave Do. }  
 33. 00 Marsh }  
 40. 00 Set a 2<sup>d</sup> Post. from which a  
 Sp. Oak 19. in. diam. bears N. 47. E. 19. links dist. & a  
 Do. 20. " " " N. 88. W. 55. " "  
 42. 01 Leave the Marsh.  
 49. 50 Marsh again.  
 70. 50 A Brook 20 links wide. Cor. N. W.  
 73. 50 Leave Marsh.  
 76. 58. A W. Oak 16. in. diam.  
 80. 00 Set a Post Cor. to Sec. 32. & 33. from which a  
 W. Oak 19 in. diam. bears N. 32. E. 31. links dist. & a  
 Do. 18. " " " N. 33 1/2. W. 98. " "  
 Land &c. similar.

- West On South Boundary of Sec. 32. T. 33. N. R. 2. E.  
 17. 25. A Sugar. 24 in. diam.  
 18. 50. A Brook 8. links wide. Cor. South.  
 40. 00 Set a 1<sup>st</sup> Post. from which a  
 B. Oak 17. in. diam. bears N. 16. E. 48. links dist. & a  
 W. Oak 24. " " " N. 64. W. 26. " "



T. 32. N. R. 2. E. 2<sup>nd</sup> Mer. Indiana. 7

43. 00 Old Road from Logansport to St. Joseph. North.  
 56. 80. A W. Oak 12. in. diam.  
 71. 86. An Ironwood 13. " "  
 80. 00 Set a Post Cor. to Sec. 31. & 32. from which a  
 Elm 11. in. diam. bears N. 70. E. 19. links dist. & a  
 W. Oak 32. " " " N. 70. W. 31. " "  
 Land Rolling soil good. Timber mostly Oak, but in some  
 places a good deal of Elm. Ash. Walnut Sugar. &c. Underg<sup>th</sup>  
 Hazle. Sapafra. &c. thick.

---

West On South Boundary of Sec. 31. T. 33. N. R. 2. E.  
 28. 11. A Poplar. 29. in. diam.  
 5. 50 An Indian Trail. Cor. North.  
 40. 00 Set a 9<sup>th</sup> Sec. post in mail. from which a  
 Maple 15. in. diam. bears N. 87. W. 34. links dist. & a  
 Elm 12. " " " N. 28. E. 54. " "  
 07. 22. A W. Oak 24. in. diam.  
 80. 25. Intersect the West Boundary. Set a Post Cor. to Towns 32. & 33.  
 North of Ranges 1. & 2. E. from which a  
 Poplar 15. in. diam. bears S. 55. E. 27. links dist. & a  
 W. Ash 15. " " " S. 51. W. 37. " "  
 Land &c. similar. but more Oak & not as brushy;  
 Nov. 15<sup>th</sup> 1833 Cuts. & ditches. War. 6. 10. E.  
 Robert Clarke, Jr. Dep. Sur.

---

West Boundary. War. 6. 25. E.  
 South On East Boundary of Sec. 1. T. 32. N. R. 1. E.  
 23. 11. An Elm 10. in. diam.  
 35. 01 Enter West Prairie  
 42. 12. Set a 1/4 Sec. post from which a  
 W. Oak 10. in. diam. bears S. 47. W. 5. 40. links dist. & a  
 No other tree near.  
 47. 00 Leave West Prairie.  
 68. 48. A Red Oak 10. in. diam.  
 82. 12. Set a Post Cor. to Sec. 1. & 12. from which a  
 W. Oak 12. in. diam. bears S. 22. W. 21. links dist. & a  
 Burr Oak " " " N. 81. W. 53. " "

T. 32. N. R. 2. E. 2<sup>nd</sup> Mer. Indiana.Land level. & 2<sup>nd</sup> rate. Timber. H & W. Oak.

South	On East Boundary of Sec. 12. T. 32. N. R. 2. E.
18. 94.	A Red Oak 9. in. diam.
40. 00	Set a q. Sec. post from which a Red Oak 12 in. diam. bears N. 79. W. 32. links dist. 8 a. W. Oak 6. " " " S. 38. W. 38. " "
42. 00 <sup>2</sup>	Enter Marsh.
78. 00	Enter Tamarac Swamp.
80. 00	Set a Post Cor. to Sec. 12. & 13. in swamp from which a Tamarac 12 in. diam. bears S. 48. W. 77. links dist. 8 a. Do. O. " " " N. 45. W. 15. " " North p. as before. South p. Swamp.
South	On the East Boundary of Sec. 13. T. 32. N. R. 2. E.
17. 00	Leave the swamp & Enter 1 <sup>st</sup> rate Land.
22. 26.	A W. Oak 18. in. diam.
40. 00	Set a q. Sec. post from which a W. Oak 18. in. diam. bears N. 71. W. 23. links dist. 8 a. Elm 10. " " " S. 38. W. 47. " "
47. 25.	Set a Post on the N. side of the Reserve. from which an Elm 10. in. diam. bears S. 70. W. 30. links dist. 8 a. Do. 10. " " " N. 59. W. 11. " "
50. 43.	A W. Oak 20 in. diam.
80. 00	Set a Post Cor. to Sec. 13. & 24. from which a Red Oak 24 in. diam. bears N. 24. W. 47. links dist. 8 a. W. Oak 24. " " " S. 16. W. 85. " " Land Rolling & 1 <sup>st</sup> rate. Swamp excepted. Timber Elm Lynn. Sugar. Buck. Ash &c.

South	On East Boundary of Sec. 24. T. 32. N. R. 2. E.
25. 00	A Red Oak 24 in. diam.
40. 00	Set a q. Sec. post from which a White Wood 30 in. diam. bears S. 29. W. 63. links dist. 8 a. W. Oak 10. " " " N. 26. W. 42. " "
	Land &c. much the same.

# T. 32. N. R. 1. E. 2nd Mer. Indians. 9

61. 40. A B. Walnut 20. in. diam.  
 80. 00 Set a Post Cor. to Sec. 24. & 25. from which a  
 W. Oak 9. in. diam. bears N. 58. W. 28. links dist. 8 a.  
 Red Oak 10 " " " S. 32. W. 40. " "  
 Land &c. much the same.

---

South On East Boundary of Sec. 25. T. 32. N. R. 1. E.  
 13. 25. A W. Oak 24. in. diam.  
 15. 00 Enter Marsh.  
 20. 00 Leave Same.  
 40. 00 Set a q. Sec. post. from which a  
 W. Oak 30. in. diam. bears N. 84. W. 58. links dist. 8 a.  
 " Do. 30. " " " S. 56. W. 1. 20. " "  
 80. 00 Set a Post Cor. to Sec. 25. & 30. from which a  
 W. Oak 20. in. diam. bears N. 14. W. 19. links dist. 8 a.  
 " Do. 20 " " " S. 12. W. 1. 00 " "  
 Land &c. same.

---

South On East Boundary of Sec. 30. T. 32. N. R. 1. E.  
 28. 40. A W. Oak 20. in. diam.  
 40. 00 Set a q. Sec. post from which a  
 W. Oak 20. in. diam. bears S. 80. W. 94. links dist. 8 a.  
 W. Oak 20. " " " N. 21. W. 95. " "  
 41. 00 Enter Wet Prairie  
 70. 00 Leave Same. & Enter Oak Land.  
 80. 00 Set a Post Cor. to Sec. 32, Ranges. 1. & 2.  
 Land level & 2nd rate. Timber. Oak. Hickory. Ash. Elm.  
 &c. November. 17th 1853. Surveyed by  
 Sylvester Lilley & Robert. Clark. Junr.  
 Dep. Surveyor.

---

Subdivisions.

North Between Sec. 35. & 36. var. 6. 25. E.  
 20. 67. A Poplar. 22. in. diam.  
 29. 87. A Lynn 22. " "  
 35. 00 Enter Mullen Swamp.

## T. 32. N. R. 2 E. 2nd Mer Indiana.

46. 00 Set a q. Sec post in swamp. from which a  
 Sycamore 20. in. diam. bears N. 72. E. 2. 12. links dist. 8 a  
 B. Gum 18. " " " N. 24. E. 2. 09. " "
49. 00 Leave the swamp.
54. 39. A Red Oak 20. in. diam.
71. 21. A W. Oak 22. " "
73. 00. Enter swamp. Prairie.
80. 00 Set a Post Cor. to Sec. 25. 26. 35. & 36. from which a  
 Red Oak 15. in. diam. bears S. 86. E. 3. 27. links dist. 8 a  
 Aspen 24. " " " S. 89. E. 3. 25. " "  
 Land level. & good. 2nd rate. Timber. Sugar. Oak. Ash.  
 Hickory. &c.
- 
- East On a Random between Sec. 25. & 36.
2. 20. Leave Prairie.
11. 00 Enter net Prairie.
20. 00 Leave. " "
23. 42. A B. Oak 24. in. diam.
36. 71. A B. Oak. 20. " "
40. 00 Set a q. Sec post. from which a  
 W. Oak 20. in. diam. bears S. 53. W. 50. links dist. 8 a  
 W. Oak 24. " " " N. 20. W. 69. " "
43. 50 To Swamp. Prairie.
45. 35. Set a Post on the Michigan Road Land. Sec. 23. from which  
 a W. Oak 20. in. diam. bears S. 84. W. 2. 90. links dist. 8 a  
 " Do 24. " " " N. 85. W. 2. 43. " "  
 From this Post to the S. W. Cor. of Sec. 23. was 3. 29. links.  
 Land level. & 3<sup>d</sup> rate. Timber. Oak. &c.
- 
- West Corrected Between Sec. 26. & 35.
12. 00 Leave the Prairie.
29. 35. Set a Post on Manukosis Reserve. where a  
 Hickory 12. in. diam. bears S. 14. E. 2. 46. links dist. 8 a  
 B. Oak. 21. " " " S. 63. W. 98. " "  
 Measured South 80. chains to the Cor. of Correction line.  
 Land &c. same as before.



North Between Sec. 26. & 35.  
 8. 00 Large Prairie.  
 18. 50. Corner met.  
 28. 00 Large Do.  
 22. 07 A Poplar 22. in. diam.  
 40. 00 Set a q. of Sec. post from which a  
 Red Oak 22. in. diam. bears S. 54<sup>th</sup>. N. 25. links dist. 8 a  
 W. Oak 18. " " " N. 15. N. 37. " "  
 52. 59. A W. Walnut. 6. in. diam.  
 67. 55. A Poplar 18. " "  
 72. 00 A Sycamore 36. " "  
 80. 00 Set a Post Cor. to Sec. 23. 24. 25. & 26. from which a  
 Buck 30. in. diam. bears S. 81. N. 16<sup>th</sup>. links dist. 8 a  
 B. Ash 30. " " " S. 43. E. 40. " "  
 Land level & 2<sup>nd</sup> rate. Timber. Ash. Buck. Elm. Sugar.  
 Hickory &c.

East On True line Between Sec. 24. & 25.  
 4. 75. An Elm 12. in. diam.  
 12. 70. A B. Ash. 18. " "  
 20. 87. A Stream 15. links wide. Cor. North.  
 26. 14. Set a Post on the West side of Sec. 22. Michigan Road Land  
 A Buck 26. in. diam. bears S. 15. N. 21. links dist. 8 a  
 Ironwood 6. " " " S. 45. N. 29. " "  
 Measured South 3. chains & 28. links to the S. W. Cor. of Sec.  
 22. Land level. & 2<sup>nd</sup> rate. Timber. Buck. Sugar. Ash  
 Elm. Ironwood. Hickory. &c. March 1<sup>st</sup> 1834.

West On True line Between Sec. 23. & 26.  
 11. 78. A Sugar. 24. in. diam.  
 20. 87. A Hickory 10. " "  
 29. 26. Set a Post on Manhossee's Reserve. from which a  
 Elm 8. in. diam. bears S. 66. E. 21. links dist. 8 a  
 Do. 12. " " " S. 26. E. 38. " "  
 Measured South on said reserve to the Cor. of Sec. 26. & 35.  
 79. 97. links. Land same.



## T. 32. N. R. 2. E. 2nd Mer. Indiana.

- North Between Sec. 23. & 24.
- 10 18. An Ironwood 6. in. diam.
18. 19. A B. Walnut 20. " "
36. 40. A Gum 19. links wide. Cor. N. W. Current. Sluggish.
40. 00 Set a post from which a  
B. Ash 21. in. diam. bears S. 76. W. 13. links dist. 8 a  
Sycamore 40. " " " S. 42. E. 21. " "
51. 08. A Buck 18. " "
68. 09. An Elm 15. " "
77. 10. Set a Post on the South side. of Michigan Road Lands.  
in Sec. 21. from which a  
Elm 8. in. diam. bears S. 57. E. 12. links dist. 8 a  
Maple 18. " " " S. 87. W. 44. " "  
To the S. W. Cor. of said Sec. the dist. is 13. N. 48. links.  
Land level. & 2nd rate. Timber. Buck. Ash. Elm. & Ironwood.  
Dredged 1834.

- West On True line between Sec. 13. & 24.
3. 32. A Poplar 24. in. diam.
11. 19. Set a Post on the East side. of Sec. 21. Michigan Road Lands.  
from which a  
B. Ash. 21. in. diam. bears S. 58. E. 27. links dist. 8 a  
Buck 21. " " " S. 58. E. 33. " "  
Measured South 1 chain & 90. links. to the S. E. Cor. of Sec. 21.  
N. R. 2. & Continued West in the Michigan Road Lands.
79. 76. Cor. to Sec. 13. 14. 23. & 24. in N. R. 2. 13. 96. links  
to the West side of Sec. 21. of Michigan Road Lands.  
Between Sec. 14. & 23. Thence 15. N. 44. links. Intersected  
the East side of Mau-ke-kose's Reserve 1. 94. links  
South of the Corner

- East On True line Between Sec. 14. & 23. [Mau-ke-kose's]  
To N. R. 2. From the N. E. Cor. of said Reserve.
7. 41 A Sugar 15. in. diam.
15. 04 Set a Post on the West side. of Sec. 21. Mich. Road Lands.

- from which a  
 Hickory 15. in. diam. bears S. 41. W. 17. links dist. 8 a.  
 Buck 22. " " " N. 68. W. 41. " "  
 Measured South 450. links to the S. W. Cor. of Sec. 27.  
 West From the N. E. Cor. of Man-ke-kosi's Reserve  
 11. 00 Set a q. Sec. post from which a  
 Elm 6. in. diam. bears N. 45. E. 8. links dist. 8 a.  
 Hickory 12. " " " N. 45. W. 45. " "  
 80. 00 Set a Post Cor. to Sec. 14. 15. from which a  
 B. Ash 6. in. diam. bears N. 70. E. 21. links dist. 8 a.  
 Elm 10. " " " N. 31. W. 25. " "

- West Between Sec. 12. & 13.  
 4. 42. A Buck 20. in. diam.  
 12. 00. Set a Post on the East side. of Sec. 20. Michigan Road Lands  
 from which a  
 Buck 22. in. diam. bears S. 45. E. 14. links dist. 8 a.  
 Do. 5. " " " N. 22. E. 13. " "  
 Measured South 188. links to the S. E. Cor. of said Sec.  
 Land level & 2nd rate. Timber. Buck. Sugar. Ironwood  
 & Hickory.

- West On True line between Sec. 1. 12.  
 9. 71. A W. Walnut 14. in. diam.  
 21. 10 A Sugar 24. " "  
 29. 94 A Hickory 8. " "  
 34. 07. An Elm 20. " "  
 40. 00 Set a q. Sec. post. from which a  
 B. Ash 20. in. diam. bears N. 42. E. 30. links dist. 8 a.  
 Buck 24. " " " N. 77. W. 13. " "  
 42. 77. An Elm 20. " "  
 52. 00 A B. Walnut 48. in. diam.  
 52. 10 Set a Post Cor. to Sec. 1. 12. On East side of Sec. 19. Michigan  
 Road Lands. from which a  
 Hackberry 20. in. diam. bears S. 8. E. 24. links dist. 8 a.  
 W. Walnut 18. " " " N. 55. E. 36. " "

T. 32. N. R. 2. E. 2<sup>nd</sup> Mer. Ind.

Measured South 1. 92 links to the S. E. Cor. of said sec. -  
Land level. 41<sup>st</sup> rate. Timber. Sugar. Walnut. Elm.  
Buckeye. Spruce. &c.

North	Between Sec. 14. & 15.
8. 40.	A Burr Oak 20 in. diam.
20. 06.	A Hickory 24. " "
40. 00	Set a q. Sec. post from which a Hickory 22 in. diam. bears N. 32 <sup>nd</sup> W. 14 links dist. & a W. Walnut 16. " " " S. 69. E. 14. " "
40. 73.	A Lymn 20. " "
55. 84.	A B. Ash 15. " "
70. 09.	A Hickory 7. " "
80. 01	Set a Post Cor. to Sec. 10. 11. 14. 15. from which a Poplar 33 in. diam. bears S. 21. E. 4 links dist. & a Do. 27. " " " N. 42. W. 11. " " Land level & 2 <sup>nd</sup> rate. Timber. Ash. Buck. Oak. Poplar. &c. Underg <sup>th</sup> Hickory. Ironwood. Hazle. & Gypfras.
March 2. 1834	

East	On true line between Sec. 11. & 14.
7. 10.	A Stream 15 links wide. Cor. N. W.
9. 65.	A Buck 24 in. diam.
24. 00	A Poplar 18. " "
40. 01	Set a q. Sec. post. from which a Buck 30 in. diam. bears N. 54. W. 14 links dist. & a Lymn 24. " " " S. 24. W. 8. " "
50. 11.	A Burr Oak 24 in. diam.
62. 60.	A B. Walnut 18. " "
66. 12.	Set a Post on the West side. of Sec. 20. Michigan Road Lands. from which a Sugar 8 in. diam. bears N. 10 <sup>th</sup> W. 18 links dist. & a Do. 9. " " " West 7. " " Measured South to the S. W. Cor. of said Sec. 4. 55 links. Land level & 2 <sup>nd</sup> rate. Timber. Buck. Oak. Ash. Sugar. Walnut. &c. Underg <sup>th</sup> Ironwood & Hickory

North Between Sec. 10. 11.

6. 77. A Stream 20 links wide. Cor. N. W.

14. 19. A Beech 12 in. diam.

15. 50. A Stream 10 links wide. Cor. S. W.

22. 63 A W. Oak 24 in. diam. ...

40. 00 Set a q. sec. post from which a  
Hickory 10 in. diam. bears S. 44. W. 22. links dist. & a  
Bura Oak 15. " " " S. 54. W. 16. " "

44. 75. A B. Ash 18 in. diam.

69. 29. A Poplar 12. " "

79. 75. A Stream 10 links wide. Cor. West

80. 00 Set a Post Cor. to Sec. 2. 3. 10. 11. from which a  
W. Walnut 20 in. diam. bears N. 41. E. 11. links dist. & a  
Imp. Ash. 24. " " " S. 49. W. 49. " "  
Land Rolling & 2<sup>nd</sup> rate. Timber. Beech. Oak. Ash.  
Poplar. Ironwood, & Hickory.

East On True line line Between Sec. 2. 11.

0. 25. A Stream 10 links wide. Cor. S. W.

0. 70 A Do. 10. " " " " S. W.

8. 33. A Hickory 8 in. diam.

18. 44. A Sugar 24. " "

26. 21. Set a Post on the West side of Sec. 19. Michigan Road Land  
from which a

Sugar 36 in. diam. bears N. 39. W. 37. links dist. & a

B. Ash 24. " " " S. 39. W. 49. " "

Measured South to the S. W. Cor. of Sec. 19. in N. B. L. 3.  
4 chains & 67 links.

Land level & 2<sup>nd</sup> rate. Timber. Ash. Sugar. Bura Oak.  
Cln. S. Ash. & Spruce.

North Between Sec. 2 & 3.

9. 54 A W. Walnut 24 in. diam.

22. 75. A W. Oak 18. " "

35. 00 Enter West Prairie.

40. 00 Set a q. sec. post in Prairie. from which a



T 32. N. B. 2. E. 2<sup>nd</sup> Mer. And:

- Swamp Ash 18. int. diam. bears S. 27. E. 2. 81. lks dist  
 W. Do. Do. 16. " " " S. 28. E. 2. 82. " "  
 61. 00 Leave Prairie  
 61. 83. A W. Oak 24. int. diam.  
 80. 30. Intersect the North Boundary, 24. links West of the Post.  
 An Aspen 12. int. diam. bears S. 22. E. 1. 11. links dist. & a  
 Do. 12. " " " S. 51. E. 1. 10. " "  
 Land some Rolling & 2<sup>nd</sup> rate. Timber. Oak. Buck. &  
 Aspen. Grape vines &c.

- West On Mauck's Reserve. Between Sec. 15. & 22.  
 40. 00 Set a 9<sup>th</sup> Sec post in Prairie. from which a  
 W. Oak 36. int. diam. bears West 4. S. 80 links dist. & a  
 Do 16. " " " N. 72. W. 4. 89. " "  
 80. 00 Set a Post Cor. of Sec. 15. 110. from which a  
 Burr Oak 20. int. diam. bears N. 4. E. 1. 83. links dist. & a  
 Do Do. 17. " " " N. 53. W. 13. 14. " "  
 Land 3<sup>rd</sup> rate

- North Between Sec. 15. 110.  
 18. 73. A W. Oak 30. int. diam.  
 40. 00 Set a 9<sup>th</sup> Sec post from which a  
 Burr Oak 34. int. diam. bears N. 55. W. 34. links dist. & a  
 Do Do. 21. " " " N. 44. E. 58. " "  
 45. 73. A B. Ash 18. " "  
 49. 20. Enter net Prairie  
 80. 00 Set a Post Cor. to Sec. 9. 10. 15. 110. from which a  
 W. Oak 20. int. diam. bears North 11. 21. links dist. & a  
 The Prairie being to west. & frozen to raise a mound.  
 Land &c. same as last mile.

- East On a Ransom between Sec. 10. 115.  
 39. 35. Leave Prairie  
 79. 98. Intersect the N. & E. line 5. links North of the Post.  
 The 1<sup>st</sup> 1/2 mile is net Prairie. 2<sup>nd</sup> 1/2 level 2<sup>nd</sup> rate. Timber  
 Oak Poplar. & Hickory. Undergrowth Ash. & Hickory.



# T. 32. N. R. 2. E. 3rd Mer. Indiana. 17

West Corrected between Sec. 10 & 15.  
 9. 33. A Red Oak 10. in. diam.  
 39. 99. Set a q. Sec post at aver. dists from which a  
 W. Oak 27 in. diam. bears S 67. E. 1. 32. links dists 8 a  
 Burr Oak 14 " " " N. 89. W. 1. 00. " "  
 79. 98. To Sec Corner. March. 3<sup>d</sup> 1834.

North Between Sec. 9. & 10.  
 11. 00 Leave the Prairie.  
 11. 21. A W. Oak 24 in. diam.  
 24. 50. A W. Oak 20. " "  
 40. 00. Set a q. Sec post from which a  
 W. Oak 20. in. diam. bears S 78. E. 27. links dists 8 a  
 " D. 18. " " " S 84. W. 25. " "  
 45. 00. Enter the Prairie.  
 61. 77. A Stream 20. links wide. Crs. West.  
 65. 30. Leave Prairie.  
 72. 42. A Lymn 18. in. diam.  
 80. 00. Set a Post Cor. to Sec. 3. 4. 9. & 10. from which a  
 W. Oak. 12. in. diam. bears S 48. W. 22. links dists and on a  
 Aspin 14 " " " N. 31. E. 14 " "  
 Land some Rolling & 3<sup>d</sup> rate. Timber: Oak. Hazel. Aspin  
 Ironwood. & Sassafras.

East On a Random between Sec. 3. & 10.  
 15. 10. Enter Willen & Swamp Prairie  
 36. 50. Leave Do.  
 47. 50. Enter Willen. Tamarac. & Ash Swamp.  
 57. 50. Leave Do.  
 58. 10. A Stream 10. links wide. Crs. S. W.  
 79. 86. A Do 10. " " " N. W.  
 79. 96. Intersect the N. & S. line 11. links North of the Post.  
 Land chiefly Swamp. Timber. Tamarac. Oak.  
 Swamp Ash. Hazel. & Grape Vines.

West Corrected between Sec. 3. & 10.

T & J. A. H. 2. C. 2<sup>nd</sup> Mer. Ind.

12. 30. An Elm 30. in. diam.  
 39. 98. Set a 9<sup>th</sup> Sec. post from which a  
 B. Ash 10. in. diam. bears N. 83. W. 13. links dist. & a  
 Iron rod 8. " " " N. 67. E. 18. " "  
 43. 14. A W. Oak 18. in. diam.  
 79. 95. To See Corner.

- North Between Sec. 3. & 4.  
 8. 53. A W. Oak 24. in. diam.  
 10. 50 A Stream 13. links wide. Cor. West.  
 23. 16. A W. Oak 20. in. diam.  
 40. 00 Set a 9<sup>th</sup> Sec. post. from which a  
 W. Oak 30. in. diam. bears N. 82. W. 44. links dist. & a  
 " Do. 18. " " " S. 18. W. 44. " "  
 116. 16. A Buck 22. in. diam.  
 117. 40. Enter net Prairie.  
 77. 00 A Stream 12. links wide. Cor. S. W. & Leare Prairie.  
 80. 76. Intersect the North Boundary 13. links W. of the Post.  
 Set a Post Cor. to Sec. 3. & 4. from which a  
 Jack Oak 8. in. diam. bears S. 4. E. 104. links dist. & a  
 W. Oak 33. " " " S. 55. W. 119. " "  
 Land Rolling & 2<sup>nd</sup> rate. Timber. Oak. Undergrowth Oak.  
 Dogwood. Hazzel. &c.

- West Between Sec. 16. & 21.  
 Man-be-kies Reserve.  
 29. 02 Set a Post from which a Burr. Oak. & B. Oak supposed  
 to be the Cor. between Au-be-mout-beis Reserve. &  
 Man-be-kies.  
 110. 00 Set a 9<sup>th</sup> Sec. post. from which a  
 W. Oak 18. in. diam. bears S. 17. W. 206. links dist. & a  
 W. Oak 8. " " " N. 45. W. 207. " "  
 57. 91 A Wagon Road. Cor. N. W.  
 80. 00 Set a Post in net Prairie Cor. of Sec. 16. N. 7.  
 Water too deep for Mounds.

# T<sup>32</sup> N. R. 2. E. 2<sup>nd</sup> Mer. Indiana. 19

North Between Sec. 10. 17.

In Prairie.

40.00 Set a  $\frac{1}{4}$  Sec. post. in Prairie. from which a  
B. Oak 24. in. diam. bears North 8. 92. links dist.

48.50 Leave the Prairie.

58.73 A B. Oak 18. in. diam.

50.00 Set a Post Cor. to Sec. 8. 9. 10. 17. from which a  
B. Oak 8. in. diam. bears S. 40. E. 34. links dist. & an  
Aspen 10. " " " N. 47 $\frac{1}{2}$  W. 73. " "  
Land &c. same as last mile.

East On a Random between Sec. 9. 10.

3.00 Enter net Prairie.

18.00 Leave " Do.

24.75 Enter net Prairie.

31.90 A Stream 12 links wide. Cor. N. W.

38.50 Leave Prairie.

53.41 Waggon Road. Cor. North.

61.25 Enter net Prairie.

80.05 Intersect the N. & Y. line. 14. links North of the Post.  
Land &c. same.

North Corrected between Sec. 9. 10.

19.80 A W. Oak. 24. in. diam.

40.12 $\frac{1}{2}$ . Set a q. Sec. post at aver. dist. from which a  
W. Oak 20. in. diam. bears N. 30. W. 12. links dist. and a  
W. Oak 24. " " " S. 82 W. 30. " "

50.05 To Sec. Corner.

North Between Sec. 8. 9.

17.18 A W. Oak 20. in. diam.

30.75 A Poplar 30. " "

40.01 Set a q. Sec. post from which an  
Ironwood. 10. in. diam. bears N. 13. E. 25. links dist. & a  
Red Oak 12. " " " S. 61. W. 68. " "

50.08 An Elm 15. " "

74. 15.	A Lymn 22. ins. diam.
74. 86.	A Stream 12. links wide. Cor. S. E.
76. 80.	To Waggon Road, Cor. N. W.
80. 00	Set a Post Cor. to Sec. 4. 5. & 9. from which a Burr Oak 14 ins. diam. bears N. 40. E. 85. links dist. & a Do. Do. 12. " " " S. 57 1/2. E. 91. " " Land level. & 2 <sup>nd</sup> rate. Timber. Oak. & Hickory. Hazel.
East	On a Randon between Sec. 4. & 9.
21. 90.	A Stream 25. links wide. Cor. North. & Enter net Prairie.
58. 00	Leave Prairie.
80. 04.	Intersect the N. & S. line 5. links North of the Post. Land. & net. Timber. Oak. Poplar. & Swamp Ash. Under Willow. Hazel. & Ironwood.
West	Connected Between Sec. 4. & 9.
40. 02.	Set a q. Sec. post at aver. dist. and raises a mound.
71. 03.	A Poplar 21. ins. diam.
80. 04.	To Sec. Corner. March 4 <sup>th</sup> 18. 34.
North	Between Sec. 4. & 5.
18. 60.	A W. Oak 24 ins. diam.
30. 10.	A Hickory 18. " "
40. 00	Set a q. Sec. post from which a W. Oak 24 ins. diam. bears West. 25. links dist. & a " Do. 20. " " " N. 80. E. 13. " "
50. 70.	A Poplar 21. " "
65. 51.	A W. Oak 18. " "
80. 07.	Intersect the North Boundary at the Post. Set a Post for 4. & 5. A W. Oak 22. ins. diam. bears S. 50. W. 40. links dist. & a W. Walnut 7. " " " S. 81 1/2. E. 41. " " Land & same as last mile.
West	On Aub. Maub. Res. line, <sup>Sec. 17</sup> 20. links
110. 00.	Set a q. Sec. post from which a W. Oak 21. ins. diam. bears N. 58. E. 1. 42. links dist. & a



11. 01 N. Oak 15 in. diam. bears N. 15 p. W. 1.22. links dist;  
 Set a Post Cor. to Sec. 17. 18. from which a  
 N. Oak 24 in. diam. bears N. 52 p. E. 308. links dist; & a  
 " Do. 8. " " " N. 41. E. 300. " "  
 Land &c. same as last mile.

North Between Sec. 17. & 18.  
 4 25 Leave the Prairie.  
 15. 15. A B. Oak 24 in. diam.  
 29. 50. A N. Oak 20. " "  
 30. 29. A Buck. 30. " "  
 40. 00 Set a post Cor. to 1/4 Sec. from which a  
 Elm 10 in. diam. bears S 67. E 7. links dist; and a  
 Do. 12. " " " N. 65. W. 25. " "  
 57. 97. A Burr Oak 24 in. diam.  
 70. 20. A Do. Do. 30. " "  
 73. 75. Enter the Prairie.  
 80 00 Set a Post Cor. to Sec. 7. 8. 17. & 18. from which a  
 Red Oak 18 in. diam. bears N. 89. W. 7. 58. links dist; & a  
 N. Oak 12. " " " West 8. 39. " "  
 Land level 2<sup>nd</sup> rate. Timber. Oak. Elm. Hazle.  
 Sapfras. Grapevines. &c.

East On a Random between Sec. 8. & 17.  
 24 00 Leave the Prairie  
 80. 07. Intersect the N. & E. line. 8. links North of the Post.  
 Land level 4<sup>th</sup> rate. Timber. Oak. Undergrowth Hazle and  
 Sapfras.

West Connected between Sec. 8. & 17.  
 17. 71. A N. Oak 31 in. diam.  
 46. 03 p. Set a q. Sec. post at area dist; from which a  
 Elm 17 in. diam. bears N. 4. E 57. links dist; & a  
 N. Oak 7. " " " N. 52. W. 65. " "  
 44. 47 " " " " " "  
 80. 07. To Sec. Corner.



North Between Sec. 7. & 8.  
 13. 50. Leave Prairie.  
 14. 77. A W. Oak 15. in. diam.  
 40. 00 Set a q. Sec. post. from which a  
 W. Oak 18. in. diam. bears N. 10. W. 139. links disty & a  
 " Do. 15. " " " N. 7. E. 132. " "  
 40. 00 Enter Tam. Swamp.  
 55. 75. Leave Do Do  
 56. 30. A W. Oak 14. in. diam.  
 60 20. Enter Prairie.  
 73. 50. Enter Tamarac. Swamp.  
 80. 00 Set a Post Cor. to Sec. 5. 6. 7. & 8. from which a  
 Maple 6. in. diam. bears S. 69. W. 21. links disty & a  
 Tamarac 6. " " " S. 81 $\frac{1}{2}$  E. 15. " "  
 Land 3<sup>rd</sup> rate. Timber. Oak. & Tamarac. Willow &c

East On a Bandem between Sec. 5. & 8.  
 7. 00 Enter Tamarac. Swamp.  
 39. 70. Enter wet Prairie.  
 74 00 Leave it.  
 74. 77. A Waggon Road. Cr. North.  
 80. 00 Intersect the N. & E. line at Post.  
 Land same as last mile.

West Corrected between Sec. 5. & 8.  
 3. 50. An Elm 15. in. diam.  
 40. 00 Set a q. Sec. post. from which a  
 W. Oak 36. in. diam. bears N. 48. W. 110 links disty & a  
 Burr Oak 24. " " " N. 44 W. 136. " "  
 53. 33. A Poplar 33. " "  
 80. 00 To Sec. Corner.

North Between Sec. 5. & 6.  
 6. 75. Leave Tamarac. Swamp. & Enter fallen Timber.  
 14. 15. A B. Ash 16. in. diam.  
 27. 00 Leave fallen Timber.

28. 11. An Elm 12. in. diam.  
 40. 00 Set a q. Sec. post from which an  
 Elm 12. in. diam. bears N. 80. E. 13. links dist. & a  
 Do. 20. " " " S. 78 $\frac{1}{2}$ . N. 21. " "  
 48. 65. A W. Oak 24. in. diam.  
 50. 46. An R. Oak 15. " "  
 58. 16. A Hickory 18. " "  
 80. 70. Intersect the North Boundary 5. links West of the Post.  
 Set a Post Cor. to Sec. 5. & 6. from which an  
 Elm 20. in. diam. bears S. 50 $\frac{1}{2}$ . N. 83. links dist. & a  
 B. Ash 23. " " " S. 59. E. 69. " "  
 Land level. & the 1<sup>st</sup> p. mile. mostly Tamarac & fallen Timber  
 Soil good. 2<sup>nd</sup> p. 1<sup>st</sup> rate soil. Timber Oak. Walnut.  
 Poplar. Ash. Spice. Elm. &c. March 5<sup>th</sup>. 1834.

- West  
 40. 00 Between Sec. 18. & 19. on Auble-Maub-lees Reserve line.  
 Set a q. Sec. post in Prairie. & raised a Mound.  
 50. 00 Leave the Prairie.  
 80. 37. Intersect the Range line at Post. where the Reserve line  
 Crops. This Post is 74. links North of the Cor. of Sec.  
 13. & 24.

- West  
 7. 50. On a Randon between Sec. 7. & 18.  
 Leave the Prairie  
 58. 20. Enter met Prairie  
 74. 05. Enter Tamarac. Swamp.  
 80. 30. Intersect the West Boundary. 28. links North of the Post.  
 Land level & 2<sup>nd</sup> rate. Timber. Oak. Elm. Tamarac. &  
 Sapafra.

- East.  
 13. 80. Corrected Between Sec. 7. & 18.  
 A W. Oak 18. in. diam.  
 40. 30. Set a  $\frac{1}{4}$  Sec. post from which a  
 W. Oak 12. in. diam. bears S. 20. E. 11. links dist. & a  
 W. Oak 10. " " " N. 53 E. 23. " "  
 54. 30. A Do. 18. " "

T. 32. N. R. 2. E 2<sup>nd</sup> Mer. Indiana.

14. 11. at W. Oak 24 in. diam.

86. 30. To Sec. Corner.

West Between Sec. 6. &amp; 7. On a Standem.

12. 11. Leave Tamarac Swamp.

24. 50. fallen Timber.

45. 00. Leave Do.

80. 34. Intersect the West Boundary 21. links North of the Post.  
Land &c. same as last mile.

East Corrected between Sec. 6. &amp; 7.

7. 41. A W. Oak 40. in. diam.

24. 50. A Red Oak 18. " "

110. 34. Set a gr. Sec. post from which an  
Aspin 6. in. diam. bears N. 38. W. 42. links dis. and a  
To 7. " " " N. 32. E. 62. " "

52. 00. A N. R. Oak 18. in. diam.

80. 34. To Sec. Corner.

March 6.<sup>th</sup> 1834.

I hereby Certify, that in pursuance of a Contract  
with M. J. Williams, Surveyor General of the United States  
for the States of Ohio & Indiana and the Territory of Michigan  
bearing date the 31<sup>st</sup> day of December, 18. 33. and in  
strict conformity to the laws of the United States and  
the Instructions of the said Surveyor General, I have  
Surveyed & subdivided into Sec. Township N. 32. N.  
R. 2. E. 2<sup>nd</sup> Mer. Indiana. and I do further Certify,  
that the foregoing are the true and original field notes  
of the said Survey and Subdivisions. Executed as aforesaid.  
Certified this 2<sup>nd</sup> day of July 1834

Cornelius Bice

Thomas Thompson } Chainmen.

Peter B. Kennedy Marker.

David Keillis  
Dep. Surveyor.



## Subdivisions of Au-be-Naib-bis Reserve.

North Between Secs 32 &amp; 33.

40. 28. Set a q<sup>r</sup> Sec. post from which a  
 Hickory 7 in. diam. bears S. 6. W. 75. links dist<sup>y</sup> & a  
 B. Oak 8. " " " N. 75<sup>3</sup>/<sub>4</sub>. E. 1. 37. " "

71. 50. Came to a small Lake or Pond.

80. 50. Set a Post Cor. to Secs 28. 29. 32 & 33. Came in floating  
 Marsh on the N. E. Margin of Lake. too thickish to  
 venture on and set no Post. No bearings near.  
 Land Rolling & Sec<sup>y</sup> rate. Timber. scattering  
 Oak. & Hickory.

East On a Random between Secs 28. &amp; 33.

4. 00 Am Inter 20. links wide. &amp; comes from N. E. (Sluggish).

15. 00 Leave the Marsh & Enter net<sup>y</sup> Prairie & ascend a  
 Sand hill.

50. 00 Intersect the N. & S. line 73. links North of the Post.  
 Land Rolling & 3<sup>d</sup> rate. Timber. same.

West Corrected Between Secs 28. &amp; 33.

9. 07 Set a q<sup>r</sup> Sec. post. from which a  
 W. Oak 20. in. diam. bears N. 89. E. 87. links dist<sup>y</sup> & a  
 " Do. 23. " " " S. 80. W. 47. " "

50. 00 To Sec. Corner

North Between Secs 28. &amp; 29.

15. 00 Leave net Prairie &amp; Marsh.

40. 28. Set a q<sup>r</sup> Sec. post from which a  
 W. Oak 7. in. diam. bears S. 75. W. 8. links dist<sup>y</sup> & a  
 B. Oak 9. " " " N. 78. E. 30. " "

50. 00 Enter Marsh.

80. 50. Set a Post Cor. to Secs 20. 21. 28. & 29. from which a  
 Tamarac. 10. in. diam. bears N. 79<sup>1</sup>/<sub>2</sub>. W. 1. 84. links dist<sup>y</sup>  
 and a B. Oak 12. " " " S. 85. E. 4. 00. " "  
 Land level. & 3<sup>d</sup> rate. Mostly Marsh.



T. 32. N. R. 12. E. 2<sup>nd</sup> Mer. Indiana.

East On a Random between Sec. 21. & 28.  
 4. 00 Leave the Marsh.  
 49. 20. Intersect the N. & S. line 30. links N. of the Post.  
 Land the same as last mile.

West Corrected between Sec. 21. & 28.  
 9. 29. Set a gr. Sec. post. from which a  
 Hickory 7. in. diam. bears S. 51 $\frac{1}{2}$ . E. 42. links dist. 8  
 Do 5. " " " N. 40 W. 51. " "  
 49. 26. To Sec. Corner.

North Between Sec. 20. & 21.  
 32. 00 Enter Timbered Land.  
 40. 28. Set a gr. Sec. post. from which a  
 Hickory 5. in. diam. bears N. 8 $\frac{3}{4}$ . E. 88. links dist. 8  
 Do 5. " " " N. 88. E. 107. " "  
 61. 00. Enter wet Prairie.  
 80. 56. Sec. post. in wet Prairie. (Bearing omitted)  
 Land poor. Mostly wet Prairie & very poor glade.  
 Sep. 28<sup>th</sup> 1856.

North Between Sec. 31. & 32.  
 24. 82. A B. Oak 10. in. diam.  
 40. 28. Set a gr. Sec. post. from which a  
 W. Oak 10. in. diam. bears N. 51 $\frac{1}{2}$  W. 10. links dist. 8  
 W. Oak 12 " " " N. 89 $\frac{1}{2}$ . E. 46. " "  
 41. 20. A W. Oak 12 in. diam.  
 43. 92. A. Do 21. " "  
 80. 56. Set a Post. Cor. to Sec. 29. 30. 31. & 32. from which a  
 W. Oak 21. in. diam. bears S. 16. E. 60 links dist. 8  
 B. Oak 20 " " " N. 38 $\frac{3}{4}$  W. 105. " "  
 Land Undulating & 2<sup>nd</sup> rate. Timber. Oak & Hickory.

East On a Random between Sec. 29. & 32.  
 55. 00 Enter wet Prairie  
 60. 00 Came to the Lake.

T. 32. N. R. 2. E. 2<sup>nd</sup> Mer. Indiana.

27.

81 25. Intersect the N. & S. line 36 links North of the Post.  
Land nearly level. & 2<sup>nd</sup> rate. Timber same but very  
scattering.

West Corrected Between Sec. 29. & 32.

40 12 1/2 Set a gp. Sec. post. at aver. dist. from which a  
W Oak 22 in. diam. bears N. 67 1/2 E. 43 links dist. & a  
W Oak 22. " " " N. 34 1/2 E. 64 " "

80 25. To Sec. post.

West On a Random between Sec. 30. & 31.

55. 00 Enter net Prairie.

64. 00 A Stream 6 links wide. Cr. South.

66. 00 Leave net Prairie.

80. 44. Intersect the West Boundary 55 links North of the Post.  
Land level. & 2<sup>nd</sup> rate. Timber same.

Bearings for the Cor. of Sec. 31. & 30.

A Burr Oak 24 in. diam. bears S. 28 1/2 E. 135 links dist.  
& a W Oak 22. " " " N. 36 1/2 E. 65. " "

East Corrected Between Sec. 30. & 31.

40 44 Set a gp. Sec. post. from which a  
W Oak 20 in. diam. bears S. 6 1/2 E. 216 links dist. & a  
B Oak 18. " " " N. 6 1/4 E. 245. " "

80. 44. To Sec. Corner.

North Between Sec. 29. & 30. In a small net Prairie.

40 28 Set a gp. Sec. post. from which a  
B Oak 20 in. diam. bears N. 30 1/2 E. 145 links dist. & a  
Hickory 5. " " " N. 36 1/4 W. 230. " "

75. 00 Enter net Prairie.

80 56. In a Post Cor. to Sec. 19. 20. 29. & 30. near the North side  
of Prairie. from which a

W Oak 18 in. diam. bears N. 25 1/2 E. 178 links dist. & a

P. 23. " " " N. 33 1/4 W. 180. " "

Land level & the South p. good 2<sup>nd</sup> rate. Barrens.

T. 39. N. R. 2. E. 2<sup>nd</sup> Mer. Indiana.North  $\frac{1}{2}$  3<sup>rd</sup> rate. skirt among the Prairies.

East On a Random between Sec. 20. & 29.  
 9. 00 Leave met Prairie.  
 02. 00 Enter Marsh  
 71. 00 Enter Tamarac Swamp.  
 79. 50 Leave Do.  
 80. 92 Intersect the N. & E. line 68 links North of the Post.  
 Land level & third rate. Timber. Oak. Tamarac. & Aspin.

West. Connected between Sec. 20. & 29.  
 40. 40. Sta of Sec. post at aver. dist. from which a  
 W. Oak 27. in diam. bears S. 66 $\frac{1}{4}$  W. 18. links dist. 8 a  
 " Do. 21. " " " N. 51. W. 54. " "  
 80 92 To Sec. Corner

West On a Random between Sec. 19. & 30.  
 11. 00 A few scattering trees.  
 42. 00 Enter Timber. A Tamarac <sup>Swamp</sup> South 8. chains  
 80. 40. Intersect the West Boundary 44 links North of the Post.  
 Bearings fr. Sec. 19. & 30.  
 A W. Oak 12. in diam. bears S. 89. E. 19. links dist. 8 a  
 " Do. 9. " " " S. 47 $\frac{1}{2}$  E. 20. " "  
 Land level. & the East  $\frac{1}{2}$  3<sup>rd</sup> rate & met. West  $\frac{1}{2}$  2<sup>nd</sup> rate.  
 Timber. Oak. Hickory. Elm. Poplar. Walnut. Ash. Aspin  
 and Buck.

East Connected Between Sec. 19. & 30.  
 40. 40. Sta of Sec. post. from which a  
 Burr Oak 12. in diam. bears N. 78 $\frac{1}{4}$  W. 19. links dist. 8 a  
 Do. Do. 11. " " " N. 41 $\frac{1}{2}$  W. 233. " "  
 80 40. To Sec. Corner.

North Between Sec. 19. & 20.  
 40. 28. Sta of Sec. post from which a  
 W. Oak 6. in diam. bears S. 57. W. 29. links dist. 8 a

T. 32. N. R. 2. E. 9<sup>th</sup> Mer. Indiana. 29

- B. Oak 12 in. diam. bears S 39<sup>1</sup>/<sub>2</sub> E. 38 links disty.  
 65. 00 Enter Marsh.  
 72. 00 Came to Sluggish Pond or Stream. of deep water. too deep.  
 & mired to Enter.  
 89. 56 To Sec. Corner.

Land miserable third rate. Timber. Oak & Aspin.

Sept. 29<sup>th</sup> 1856.

Surveyed by  
 Jeremiah Smith  
 Dep. Surveyor.

Var. 5° 50' E.

Subdivision of Mau-ke-kose's Reserve.

North Between Sections 34 & 35 T. 32 N. R. 2 E.

6. 12 A B. Walnut 6 in. diam.  
 16. 39 Elm 20 " "  
 26. 00 Indian trail, West  
 30. 00 About an acre of Indian's corn, 1 ch. east  
 40. 00 Set 9<sup>th</sup> Sec. post, from which  
     a B. Oak 8 in. diam. bears N 27<sup>1</sup>/<sub>2</sub> E 34 lks.  
     Sphlar 24 " " " N 57 W 58 lks. dist.  
 43. 14 Y. Oak 12 in. diam.  
 54. 00 Indian trail NW  
 66. 00 Enter Marsh  
 69. 00 Leave do  
 80. 00 Set post corner to Sec. 26, 27, 34, 35, from which  
     a Y. Oak 14 in. diam. bears S 80 W 87 lks. ✓  
     W. Oak 20 " " " N 49<sup>1</sup>/<sub>2</sub> W 104 lks. dist.  
 Land South 1/2 rolling 1<sup>st</sup> rate, thick woods - oak,  
 Sugar, Walnut, Ash, &c. briars, vines &c. thick -  
 North 1/2 rolling barrens, good soil, thinly tim-  
 bered with W. & Y. Oak.

East On Random between Sec. 26 & 35

30. 00 Indian trail from Mau-ke-kose's Village N.W.  
 38. 00 Enter Marsh  
 46. 00 Leave do



Ch. Lk.

48.50 Enter Marsh

49.20 Intersect East boundary of Reserve 24 lks. N. of post  
 Land rolling, poor, broken barrens, - very thinly  
 timbered with small W. & Y. Oak.

West Corrected between Secs. 26 &amp; 35

9.20 Set gr. Sec. post on true line, from which  
 a Sphar 14 in. diam. bears S 75 $\frac{1}{2}$  W 1.78 lks  
 Y. Oak 15 " " " S 10 W. ....

49.20 Section corner.

North Between Sections 26 &amp; 27

13.72 Y. Oak 16 in. diam.

40.00 Set gr. Sec. post, from which  
 a Y. Oak 6 in. diam. bears S 66 $\frac{1}{2}$  W 27 lks.  
 Hickory 5 " " " N 64 W 29 lks. dist.

51.00 Indian trail - N.W.

52.99 Hickory 12 in. diam.

71.00 Drain (now dry) from S.E. to N.W.

80.00 Set post corner to Secs. 22, 23, 26, 27, from which  
 a Y. Oak 8, N 86 $\frac{3}{4}$  E 114 lks  
 Aspen 7 in. dia. bears N 68 W 30 lks. dist.

Land 2<sup>d</sup> rate, rolling barrens, thinly timbered,  
 W. & Y. Oak, Hickory. Aspen thickets near drain

East On Random between Secs. 23 &amp; 26

30.00 Leave barrens &amp; enter thick woods

49.46 Intersect East boundary 69 lks. North of post  
 Land gently rolling 2<sup>nd</sup> rate, near the division  
 between barrens & thick woods. 30 ch. on West  
 thinly timbered barrens; balance well timbered,  
 thick woods; Beech, Lym, Sugar, Walnut, Ash &c.

West Corrected between Secs. 23 &amp; 26 - Var. 4-47

7.22 W. Oak 36 in. diam.

9.46 Set gr. Sec. post on true line, from which

T. 32 N. R. 2 E. 2<sup>nd</sup> Mer. Ind.<sup>a</sup> 31

chk. lks.

a B. Walnut 3 in. diam. bears N 58 E 13 lks.

elm 17 " " " N 77 W 35 lks. dist.

49.46 Section corner

August 23. 1835

North On Random between Sect. 22 & 23

9.00 Leave barrens & enter thick woods

80.78 Intersected North boundary at post

Land gently rolling 1<sup>st</sup> rate, well timbered - Sugar, Beech, Ash, Lym, Walnut, poplar, cherry, Oak &c

South Corrected between Sect. 22 & 23

1.65 Swamp (sp.) Oak 18 in. diam.

21.97 Cherry 6 in. diam.

40.78 Set q. Sec. post from which

an Ironwood 7 in. diam. bears S 35 W. 11 lks.

Beech 20 " " " N 48 E 37 lks. dist.

61.28 Hickory 7 in. diam.

70.88 B. Oak 15 in. diam.

80.78 Section corner

North Between Sections 33 & 34

Var. 6:

2.50 Indian trail, W. S. W.

40.00 Set q. Section post, from which a

W. Oak 8 in. diam. bears S 62 1/2 W 1.48 lks.

Hickory 5 " " " N 86 E 50 lks dist.

42.50 Indian trail - West

58.20 Y. Oak 3 in. diam.

79.90 Enter wet prairie

80.00 Set post corner to Sect. 27, 28, 33, 34, from which

a W. Oak 16 in. diam. bears S 73 E 30 lks.

Hickory 10 " " " S 42 E 20 lks. dist.

Land - high rolling 2<sup>d</sup> rate barrens - thinly timbered - Hickory, W. Oak, Y. Oak

East On Random between Sect. 27 & 34 - Var. 6: 20'

ch<sup>d</sup> lks.

- 9.50 Spring brook 2 lks. wide, N.W.  
 12.50 Same brook S.W.  
 18.50 Same " N.E.  
 50.00 Old wagon road from Logansport to South Bend, N.E.  
 57.00 Indian trail - N.W.  
 63.00 Center Marsh  
 68.00 Leave do  
 80.46 Intersect east boundary, 24 lks North of post  
 Land - dry, rolling barrens, 2<sup>d</sup> rate, thinly tim.  
 with Hickory, W. & Y. Oak.

West Connected between Sec<sup>s</sup> 27 & 342.42 Y. Oak 15 in<sup>d</sup> diam.

- ✓ 40.23 Set of Sec. post on true line, from which  
 a Hickory 6 in<sup>d</sup> diam. bears S 6<sup>3</sup>/<sub>4</sub> W 1.19 lks.  
 W. Oak 6 " " " N 60 E 1.06 lks. dist.

80.46 Section corner

West Between Sections 28 &amp; 33

- 3.00 Leave wet prairie  
 13.50 Rolling Springy wet prairie  
 23.50 a brook 3 lks wide and 3 feet deep! course N.W.  
 sluggish. A small pond of about 4 acres  
 about 5 ch<sup>d</sup> North of line  
 30.66 Intersect West boundary of Reserve - Set post  
 in Marsh, or wet prairie, from which a  
 W. Oak 18 in<sup>d</sup> diam. bears N 2<sup>1</sup>/<sub>4</sub> E 3.14 lks. dist.  
 no other tree near  
 Dry land - similar

North Between Sec<sup>s</sup> 27 & 28

- 1.50 Spring brook 2 - N.W. & leave wet prairie on to Isl<sup>d</sup> of dry land  
 11.00 Leave Island on rolling, springy wet prairie  
 14.25 Spring brook 2 lks. S. W.  
 26.00 Leave wet prairie  
 36.14 a Hickory 14 in<sup>d</sup> diam.

T. 32 N. R. 2 E. 2<sup>nd</sup> Mer. Ind. a 33

ch. lks.

40.00 Set q. Section post, from which a  
Hickory 11 in. diam. bears N 44 W 26 lks.  
Do 5 " " " N 31 1/4 E 28 lks. dist.

64.00 Enter Marsh (Splatdock)

73.00 Leave Marsh

80.00 Set post corner to Sec. 21, 22, 27, 28 from which  
a W. Oak 13 N 72 1/2 E 64 lks.

do 17 ins. dia. bears N 28 1/2 W 113 lks. dist.  
Land &c similar

East On Random between Sec. 22 & 27

3.00 Enter Marsh

15.00 Leave do (Splatdock or flower lily)

23.00 Old road to South Bend, N.W. not travelled

35.00 Indian trail N.W.

70.00 Low swailly timbered land

73.00 Drain, or channel of a brook 30 lks. N.W. dry now

80.16 Intersected East boundary 24 lks. N. of post

Land - W 1/2 as last - dry part of E 1/2, good soil,  
thinly timbered, B. & W. Oak - hazle

West Corrected between Sec. 22 & 27

40.08 Set q. Sec. post on true line, from which a  
Hickory 7 in. diam. bears N 11 1/2 W 56 lks.

Y. Oak 11 " " " 55 W 19 lks. dist.

42.05 Hickory 5 in. diam.

80.16 Section Corner

West Between Sec. 21 & 28

30.68 Intersected West boundary of Reserve & set post.

Hickory 14 in. diam. bears S 67 1/2 E 78 lks.

W. Oak 14 " " " N 44 1/2 E 39 lks.

Land rolling barrens, very thinly timbered,  
Hickory & Oak.

North On Random between Sec. 21 & 22



T. 32 N. R. 2 E. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

ch. lks.

- 16.00 Enter Marsh  
 21.00 Leave Do.  
 23.00 Old wagon road to South Bend, N.W.  
 23.50 Enter Marsh  
 30.00 Leave Do  
 39.00 Enter Marsh  
 41.00 Leave Same  
 57.00 Wet prairie, creek bottoms, great growth of grass  
 74.00 Brook 5 lks. wide, N.W.  
 79.00 Leave bottoms  
 80.88 Intersected North boundary 19 lks. E. of post  
 Land-dry rolling barrens, very thinly timbered, Hickory & Oak

South corrected between Secs. 21 &amp; 22

40.88 Set q. Sec. post on true line, from which a  
 ✓ Hickory 7 in. diam. bears S 79 W 98 lks.

W. Oak 4 " " " N 52 W 1.32 lks. Dist.

80.88 Section Corner

Aug. 25. 1835

I do hereby certify that in pursuance of a contract with Robert F. Lytle, Sur. Gen. & dated July 24. 1835, and in strict conformity to his instructions, and the U. States laws, I have surveyed and subdivided into Sections the tract reserved to Mankakee, in T. 32 N. R. 2 E. Ind.<sup>a</sup>; of which survey & subdivision the foregoing are the true and original field notes - Certified this 6<sup>th</sup> day of Dec<sup>r</sup>. 1836  
 Jos. <sup>in</sup> Houston, chairman - Robert Clark Jr. S.S.  
 mark & marker

I certify that the foregoing transcript of field notes of the Survey of Township 32 North, in Range 2 East of the 2<sup>nd</sup> Meridian, in the State of Indiana, has been compared with the original on file in this Office, and found to be correct.

William Johnston

Surveyor Genl.

Surveyor General's Office,  
 Cincinnati Jan. 7. 1843